

top agrar Kurative und Protektive Leistung wichtiger Fungizide

Mittel	Menge I bzw. g/ha	Cercospora	Mehltau	Septoria tritici	Braunrost	Gelbrost	DTR	M. nivale	Fusarium	€/ha ¹⁾		
Mittel vorzugsweise für Behandlungen von BBCH 29 bis EC 31												
Orius/Helocur 250 EW	0,75		●	●	● ● ● ●	● ● ● ●				9		
Pronto Plus	0,75		● ● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●				19		
Vegas Plus + Talius	0,48 + 0,15		● ● ● ● ●	● ● ● ●	●	●						
Vegas Plus	0,8		● ● ● ● ●	● ● ● ●	●	●				27		
Pronto Plus + Talius	0,6 + 0,25		● ● ● ● ●	● ● ● ●	● ● ●	● ● ● ●						
Mittel vorzugsweise für Behandlungen in BBCH 31/32												
Zeus + Orius	0,5 + 0,75		● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ●	●		15		
Prothioconazol + Folpan 500 SC	150 + 1,5	● ● ●	● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ●	● ●			
Verben	0,8	● ● ●	● ● ● ● ●	● ● ● ●	● ● ●	● ● ● ●	● ● ● ●	● ● ●	● ●	36		
Pronto Plus + Folpan 500 SC	1,0 + 1,5		● ● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ●	●		41		
Unix + Pecari 300 EC	0,5 + 0,5	● ● ● ● ●	● ● ● ●	● ● ● ●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ●	46		
Xenial	1,25	● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ●	● ● ●				
Balaya + Orius	1,0 + 0,5	● ●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ●		50		
Input Tripel	1,0	● ● ●	● ● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ●	49		
Balaya	1,25	● ● ●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ●	● ● ●		57		
Balaya + Vegas Plus	1,0 + 0,8	● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ●	● ● ●		72		
Mittel vorzugsweise für Behandlungen von BBCH 33 bis EC 51												
Prothio. + Tebuconazol	150 + 187,5	●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ●	●			
Zeus + Prothioconazol	0,75 + 125	●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ●	●			
Amistar Gold	1,0		●	● ● ●	● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ●	●	34		
Ascra Xpro	1,0	● ● ●	● ● ●	● ● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ●	51		
Revytrex	1,25		● ●	● ● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ●	● ● ●	●	54		
Questar + Aptrell	1,5 + 1,0		● ● ●	● ● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●			
Pioli + Soratel	1,5 + 0,75	● ● ●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	61		
Univoq	2,0	● ● ●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	74		
Univoq + Regoral	1,5 + 0,3	● ●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●			
Revytrex + Comet	1,5 + 0,5	● ●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ●	● ● ●	●	76		
Ascra Xpro	1,5	● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	76		
Questar + Balaya	1,5 + 0,75	●	● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●			
Mittel vorzugsweise für Behandlungen ab Ährenschieben												
Prothioconazol + Orius	150 + 0,75		● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●			
Magnello	1,0		● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	37		
Prothioconazol + Soleil	125 + 1,0		● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●			
Prothio. + Caramba	150 + 0,75		● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●			
Prothio. + Pronto Plus	150 + 1,0		● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●			
Ascra Xpro + Soleil	0,8 + 1,0		● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	66		
Wirkungsdauer ²⁾ kurativ und protektiv in Tagen				7-2	4-28	8-2	6-36	10-3	5-34	3-1	4-28	vorbeugend

● Wirkungsergänzung von 750 g/ha Folpet; 1) Quelle: myagrar, Stand: 11.2024; 2) bzw. ● Fungizide Potenz gegen Cercospora, Mehltau und Fusarium

top agrar; Quelle: LWK Nordrhein-Westfalen